

Quickie Rhythm M3 TM with QC Electronics

May 2006

ORDERING INFORMATION PHONE: (800) 236-4215 FAX: (602) 230-9497, WEBSITE: www.southwestmedical.com

		ACCOUNT	INFO	RMATI	ON			
Account No:					Ship ⁻	То:		
Date:				ne:				
Buyer:			City	:			State:	
Marked For:			Zip	Code:_			Phone Number:	
•	•	•	_				e with the suspension, stability and obstacle har ndard with many high end features in an econom	_
	RHYTHM M3 SPECIFICATIONS				P	OWER S	SEAT OPTIONS for TRADITIONAL REHAB SEAT ^{7,9}	
RHYTHM [™] M3 Standard	l Chair			□ <u>166</u> P		E1002	Power CG Tilt 50° (300lbs.)	\$5,250.00
300 lb 6.5 mph 4-pole	e Motor Package			□ 166P	11		Power Elevate to Transfer Assist (300lbs)	\$2,395.00
Traditional Rehab Se							ER SEAT OPTIONS for PERFECT FIT TM 5,7,8,9	
Delphi Quickie (QC-4				166P		E1002		\$5,350.0
	RHYTHM M3			166P		E2300	Power Elevate to Transfer Assist (300lbs) 4	\$2,495.0
	RHYTHM [™] M3 Standard Chair RHYTHM [™] M3 for Power Seating ⁶	\$4,350.00		166P			Power Recline, Mech. Shear (250lbs)	\$5,850.0
166PC26	RHYTHM M3 for Power Seating	\$4,150.00		□ 166P	PA4	E1007	CG Tilt 50°& Pwr Recline, Mech. Shear (250lbs)	\$9,995.0
Transit	AD ST. SD.	# 222.22		□ ₁₆₆ F			POWER SEAT OPTION ELECTRONICS ¹⁰	
□ 166TO25	4-Point Transit Package	\$300.00				F0040	Toggle Switch Activation ²	Ste
Accent Color 166C77	Division and a	NC		166E		E2310 E2311	Thru Drive 1 Connection Power Seat System Motor ¹¹ Thru Drive 2 Connections Power Seat System Motors ¹¹	\$1,375.0
□ 166C77 □ 166C78	Burgundy Blue	NC NC		1665	:04	E2311	BATTERIES	\$2,825.0
166C79	Black	NC NC	Ratt	eries			BATTERIES	
Drive Wheel	DIACK	110		□ _{166A}	47	E2361	22NF Gel Cell (Pair)	\$320.0
□ 166DW36	14" Cast Wheel Pneumatic Tire	NC		166A		E2363	Gp 24 Gel Cell (Pair) ³	\$390.0
□ 166DW37 K0093	14" Cast Wheel Pneumatic w/lns.	\$330.00	Batt	ery Cha			ap 21 doi doii (1 dii)	Ψοσο.σ.
□ 166DW38	14" Chrome/Black Whl Pneumatic	\$140.00		□ _{166B}			8A Dual Mode (Off-Board) Compact	NO
□ 166DW39 K0093	14" Chrome/Black Pneumatic w/Ins.	\$470.00		□ _{166B}	3J15		8A Dual Mode (Off-Board) Desktop	NO
Drive Wheel Tire				ery Stra				
□ 166DT1	Knobby	NC		□ _{166B}	K2		Battery Straps w/insert (22NF)	NO
166DT2	V-Groove	NC		□ <u>166B</u>	8K1		Battery Straps (Gp 24)	NO
	or proper suspension set-up)							
Less than 150 Lbs	, , , , , , , , , , , , , , , , , , , ,			FOOTNO	OTES:	:		
□ 150 - 200 lbs	(166WG07) 250 - 300 lbs (166WG09)						uators. Required with Thru Drive option.	
	IE ELECTRONICS POWERED BY DELPHI						o 2 actuators ance. Required for Power Seat Options.	
Quickie (QC) 70A, Non E	•						lable with Power CG Tilt & Recline combination.	
10000	Delphi QC-4 button	Std				ct Fit Sea		
166J35	Delphi QC-5 button ¹	\$1,205.00					ng power seat options.	
Joystick Mount 166JM1	Fixed Mount	NC					mbination is not available	
166JM2 E1028	Fixed Mount Swing Away Mount	\$250.00					ith Power Recline adds .7" STFH at 18"-22" seat depths.	
166JM3 E1028	Center Mount Swing Away	\$250.00					ith Manual Recline adds .7" STFH at 21"-22" seat depths.	
Hand Mount	Ochtor Wodin Owing Away	Ψ230.00	10	If Toggle	Switc	ch Activat	ion is desired with 1 or 2 Thru Drive Connection then Accessor	ry
□ 166HM1	Right	NC		Toggle S	witch	must be	selected.	
□ 166HM2 Left NC					grade	to QC-5 I	Remote Joystick	
Joystick Handle								
	Stick Handle	Std.						
166JH1 E2323	Ball Handle	\$75.00						
166JH2 E2323	Foam Ball Handle	\$75.00						
□ <u>166JH4 E2323</u> □ <u>166JH6 E2323</u>	T-Handle Goalpost	\$75.00 \$75.00						
1000110 12020	and a pool	Ψ1 0.00						

SEATING- Traditional Rehab (Perfect Fit starts on Page 3)

		TRADITIONAL REHAB SEAT	
□ 166CU1	2	2" Cushion	\$95.00
Seat Width			
10000		14"	\$110.00
10004		15"	NC
_ 100N3		16"	NO
□ 166R6	1	17"	NO
166R7	1	18"	NO
□ 166R8	1	19"	NO
□ <u>166R9</u>	E2340 2	20" (NC with Power CG Tilt)	\$325.00
□ 166R11	E2340 2	22" (NC with Power CG Tilt)	\$325.00
□ _{166R13}	E2341 2	24" (NC with Power CG Tilt)	\$465.00
Seat Depth-Adju	ıstable		
□ 166RF3	1	14"	\$110.00
□ 166RF4		15"	NO
□ 166RF5		16"	NO
166RF6		17"	NO
□ 166RF7		18"	NO
166RF8		19"	NO
_ IDDRF9		20" (NC with Power CG Tilt)	\$520.00
IDORFII		22" (NC with Power CG Tilt)	\$520.00
		mate to top of seat pan at 0°)	
166HT28		17"	NO
166HT29	1	8"	NO
□ 166HT30	1	19"	NO
□ 166HT31	2	20"	NO
		CUSHIONS 14	
	K0108* J	Jay J2 Deep Contour	
	K0108* J		
		Jay J2 w/ Recline Pade	
		-	
	E2607 J	BACKREST	
□ 166PT72			
1000173		Non-Folding Backrest	NO
□ 166BT74		Folding Backrest ⁹	\$110.00
☐ 166OD1	E1225 N	Manual Recline to 40°6,12	\$425.00
Jpholstery			
□ <u>166BU1</u>	E	Back Upholstery (Select Height Below)	NO
□ 166BU14	(Omit Back Upholstery	-\$15.00
□ 166BU50	(Omit Jay Solid Backrest on Tilt	-\$15.00
Back Post Type		•	
□ 166BP40		Straight Back Post	NO
166BP41		3° Bend Back Post 1	\$25.00
		w/Upholstery Only)	Ψ20.0
			ф 7 0.0
10001		_ow (15.5")	\$70.00
10000	-	Medium (17.5")	NO ©70.00
□ 166B9		Tall (19.5")	\$70.00
lay Solid Backr	est Height	(Fixed Seat Frame Only) 2,3	
□ 166B36	1	16"	\$400.0
□ 166B37	1	17"	\$400.00
□ 166B38	1	18"	\$400.00
□ 166B39		19"	\$400.00
□ 166B40		20"	\$400.00
166B41		21"	\$400.00
100041			
100842		22"	\$400.00
100043		23"	\$400.00
100044		24"	\$400.00
	rmrests (Ht. Adj. Armrest NC on Power C.G. Tilt)	
166AA46		Dual Post Flip Back	NO
166AA50	E0973 [Dual Post Flip Back Height Adjustable	\$240.00
166AA8	E0973 S	Single Post Height Adjustable	\$230.00
166AA9		Single Post Height Adjustable-Peds	\$230.00
166AA14		Omit Armrest and Mounts	N(
Right Armpad		Since and mounts	110
□ 166AB01	Г	Desk Length Waterfall (10")	NO
166AB02		Full Length Waterfall (14")	NO
166AB03		Desk Length Standard (10")	\$7.50
□ 166AB04		Full Length Standard (14")	\$7.50
eft Armpad	<u> </u>		Ţ .
-eit Armpau		Desk Length Waterfall (10")	NIC
□ 166AE01	[Jesk Length Wateriali (10)	INC
		Full Length Waterfall (14")	
□ 166AE01	F		NC NC \$7.50

			HANGERS & FOOTREST	
Not all	combination	n of ⊔o		
			ngers and Footplates are available. verify availability.	
Hange		iole lo	verify availability.	
	166H95		65° Swing Away (A,B,C) (pr)	NC
	166H94		75° Tapered Swing Away (A,B,C,E) (pr)	NC
	166H6		90° Swing Away (B,C) (pr)	\$250.00
	166H70		Center Mount (Includes Footrest)	\$250.00
	166H68	E0990		\$270.00
	166H32	L0330	Omit Hangers	-\$20.00
Extens	sion Tube ⁴		- China Harrige To	-φ20.00
	166E1		Short (13" - 15.5")	NC
	166E2		Medium (15.5" - 18") 7,11	NC
	166E5		Long (18" - 20")	NC
	166E16		High Mount Extension Tube ⁸	\$55.00
Footpl	ate (pr)		Tright Mount Extension Tube	ψ33.00
	166F1		Composite w/Heel Loop	NC
		Α		
	166F3		Adult Angle Adjust. w/Heel Loop (pr)	\$210.00
		В	K0040 Angle Adjustable Footplate	\$165.00
			E0951 Heel Loop	\$45.00
	166F4		Kids Angle Adjust. w/Leg Strap (pr)	\$195.00
		С	K0040 Angle Adjustable Footplate	\$165.00
			K0038 Leg Strap	\$30.00
	166F5	D	Aluminum	\$30.00
		D		
	166F260		One Piece Angle Adjust. footplate	\$210.00
		Ε	K0040 Angle Adjustable Footplate	\$165.00
			E0951 Heel Loop	\$45.00
	166F7		Omit Foot Plate ¹⁰	-\$15.00
	st Accesso			
	166A110	E0952	Toe Loop (pr) 5	\$45.00
	166A54	K0038	Extra Leg Strap	\$30.00
	F	POSITI	ONING OPTIONS (For solid backs only)	
			Specialty Controls)	
Ц	166HE16	Headr	est 8" x 4.5"	\$450.00
		E0955	Curved Headrest 8" x 4.5"	\$225.00
_			Removable Mount	\$225.00
ш	166HE17	Headr	est 9" x 4.5"	\$450.00
		E0955	Curved Headrest 9" x 4.5"	\$225.00
			Removable Mount	\$225.00
Latera	I Thoracic	Suppo	rt	
	Pad Style			
	166KE23		l Pads Curved	\$450.00
			Lateral Pad Curved (pr)	\$225.00
			Swing Away Mount (pr)	\$225.00
ш	166KE3		Il Pads Straight	\$440.00
			Lateral Pad Straight (pr)	\$215.00
		E1028	Swing Away Mount (pr)	\$225.00
	Pad Size			
	166KD1		Lateral Support 3" x 6" (pr)	NC
	166KD2		Lateral Support 4" x 5" (pr)	NC
	166KD3		Lateral Support 4" x 6" (pr)	NC

FOOTNOTES:

- ¹ Not Available with Jay solid seat back.
- ² Decreases seat depth by 1"
- ³ No charge with CG tilt.
- ⁴ Not available with 90° hangers.
- $^{\rm 5}$ Only available with a dult angle adjustable footplate.
- $^{\rm 6}$ Not available with dual post armrests.
- ⁷ Not available with aluminum footplate.
- ⁸ Only available with 70° hangers.
- 9 Not available with CG Tilt
- ¹⁰ Can not Omit Footplate on Tapered Legrest
- ¹¹ Medium Extension not available with Manual Elevating SA
- Manual Recline angle is between 30° and 40° depending on chair setup.
- Manual ELR Retracted Angle will between 65° 70° depending on chair setup.
 Cushions are ordered as a separate line item not included in wheelchair configuration.

*K0108 Adjustable Skin Protection and K0108 Adjustable Skin Protection * Positioning

SEATING - Perfect FitTM (Traditional Rehab Seat is on page 2)

The Perfect FitTM power seating system is a unique, modular and adjustable system that can easily accommodate changes in a User's power mobility requirements: - Seating can be adjusted when a User's physical attributes change - Power seating options can be added as needed - Proper fit for lower and upper body positioning is achieved independently to create the "perfect fit".

	ADJUSTABLE SEAT FRAME
Get Width - Small - Adjustable 12" to 17" NC	T38 Perfect Fit TM Adjustable Seat Frame ⁷ \$475.00
General Purpose Fixed Width Back General Purpose Back (Fixed) >= 22" (166PE1) General Purpose Fixed Width Back General Purpose Back (Fixed) >= 22" (166PE3) General Purpose Fixed Width Back General Purpose Back (Fixed) >= 22" (166PE3) General Purpose Fixed Width Back General Purpose Back (Fixed) >= 22" (166PE3) General Purpose Fixed Width Back General Purpose Back (Fixed) >= 22" (166PE3) General Purpose Fixed Width Back General Purpose Back (Fixed) >= 22" (166PE3) General Purpose Fixed Width Back General Purpose Back (Fixed) >= 22" (166PE3) General Purpose Fixed Width Back General Purpose Back (Fixed) >= 22" (166PE3) General Purpose Fixed Width Back General Purpose Back (Fixed) >= 22" (166PE3) General Purpose Fixed Width Back General Purpose Back (Fixed) >= 22" (166PE3) General Purpose Fixed Width Back General Purpose Fixed Width Back General Purpose Back (Fixed) >= 22" (166PE3) General Purpose Fixed Width Back General Purpose Back (Fixed) >= 22" (166PE3) General Purpose Fixed Width Back General Purpose Back (Fixed) >= 22" (166PE3) Gen	
Seat Width - Small - Adjustable 12" to 17" NC	:U2 Omit Cushion NC 10
12" (166PE1)	
13" (166PE2)	(166PE1)
Seat Width - Regular - Adjustable 15" to 20" NC	
Seat Width - Regular - Adjustable 15" to 20"	
17" (166PE6)	
Seat Width - Large - Adjustable 19" to 24"	
19" (166PE8)	(166PE6)
20" (166PE9)	
Seat Depth	(166PE8)
Seat Depth	
12" (166PD1)	
13" (166PD2)	
14" (166PD3)	(166PD1)
Seat Height (Approximate to top of seat pan at 0 °)	(166PD2)
General Purpose Fixed Width Back	(166PD3)
166HT33	(166PD4)
166HT34	
166H735	
166HT36	T34 18.5" NC Armrest
Pre-Set Seat Frame Angle	T35 19.5" NC N
166FA10	
166FA3 3° NC 166FA4 6° (Not available with power seating) NC 166FA5 9° (Not available with power seating) NC Right	
General Purpose Fixed Width Back General Purpose Back (Fixed) < 22" \$ 375.00 General Purpose Fixed Width Rack General Purpose Back (Fixed) > 22" \$ 510.00 Right General Purpose General Purpose Back (Fixed) > 22" \$ 510.00 General Purpose General Purpose Back (Fixed) > 22" \$ 100.00 General Purpose General Purpose Back (Fixed) > 22" \$ 100.00 General Purpose General Purpose Back (Fixed) > 22" \$ 100.00 General Purpose General Purpose Back (Fixed) > 22" \$ 100.00 General Purpose General Purpose Back (Fixed) > 22" \$ 100.00 General Purpose General Purpose Back (Fixed) > 22" \$ 100.00 General Purpose General Purpose Back (Fixed) > 22" \$ 100.00 General Purpose General Purpose Back (Fixed) > 22" \$ 100.00 General Purpose Gene	AS S INC I
Right Right Rollow Rol	A4 6° (Not available with power seating) NC $\frac{1}{2}$ A5 9° (Not available with power seating) NC $\frac{1}{2}$
K0108* Jay J2 Deep Contour K0108* Jay J2 Deep Contour K0108* Jay J2 W/ Recline Pade E2607 Jay Easy BACKS Detroined for Back E2607 Jay Easy E360	
K0108* Jay J2 K0108* Jay J2 w/ Recline Pade	Ü
K0108* Jay J2 w/ Recline Pade	NOTON Jay J2 Deep Contour
Back	
Deptions for Back	KU108" Jay J2 W/ Recline Pade
Deptions for Back	L2007 day Lasy
1660D1 E1225 Manual Recline to 40 ° \$175.00 166BP42 Bolt-On Attendant Push Handles \$100.00	
General Purpose Fixed Width Back General Purpose Back (Fixed) < 22" \$ 375.00 General Purpose Fixed Width Back General Purpose Back (Fixed) < 22" \$ 375.00 General Purpose Back (Fixed) < 22" \$ 375.00 General Purpose Back (Fixed) < 22" \$ 510.00 General Purpose Back (Fixed) < 22" \$ 510.0	
General Purpose Fixed Width Back	
General Purpose Fixed Width Back □ 166BU55 E2611 Curved General Purpose Back (Fixed) <22"	r42 Boil-Off Attendant Fosti Flandies \$100.00 _ 1
□ 166BU55 E2611 Curved General Purpose Back (Fixed) <22"	
□ 166BU56 E2612 Curved General Purpose Back (Fixed) >=22" \$ 510.00 Right Back Width (R1 & R2 note the Back Height Range) NC □ 12"(R1) (166PE1) □ 18"(R2) (166PE7) □ 24"(R2) (166PE13) □ 14"(R1) (166PE3) □ 20"(R2) (166PE9) □ 16"(R2) (166PE5) □ 22"(R2) (166PE11) Back Height for use on Manual Back 1.2 NC R1 □ 15" (166B35) □ 16" (166B36) □ 17" (166B37) □ 18" (166B38) R2 □ 17" (166B37) □ 18" (166B38) □ 19" (166B39) □ 20" (166B40) Back Height for use on Power Recline Back 1.2 NC	
Back Width (R1 & R2 note the Back Height Range) NC 12"(R1) (166PE1) 18"(R2) (166PE7) 24"(R2) (166PE13) 14"(R1) (166PE3) 20"(R2) (166PE9) 16"(R2) (166PE5) 22"(R2) (166PE11) Left O Back Height for use on Manual Back 1.2 NC R1 15" (166B35) 16" (166B36) 17" (166B37) 18" (166B38) R2 17" (166B37) 18" (166B38) 19" (166B39) 20" (166B40) Back Height for use on Power Recline Back 1.2 NC Right	
□ 12"(R1) (166PE1) □ 18"(R2) (166PE7) □ 24"(R2) (166PE13) □ 14"(R1) (166PE3) □ 20"(R2) (166PE9) □ 16"(R2) (166PE5) □ 22"(R2) (166PE11) □ Back Height for use on Manual Back 1.2 NC □ R1 □ 15" (166B35) □ 16" (166B36) □ 17" (166B37) □ 18" (166B38) □ 19" (166B39) □ 20" (166B40) □ Back Height for use on Power Recline Back 1.2 NC Right	
□ 14"(R1) (166PE3) □ 20"(R2) (166PE9) □ 16"(R2) (166PE5) □ 22"(R2) (166PE11) Back Height for use on Manual Back 1.2 NC R1 □ 15" (166B35) □ 16" (166B36) □ 17" (166B37) □ 18" (166B38) R2 □ 17" (166B37) □ 18" (166B38) □ 19" (166B39) □ 20" (166B40) Back Height for use on Power Recline Back 1.2 NC Right	R1) (166PE1)
□ 16"(R2) (166PE5) □ 22"(R2) (166PE11) Back Height for use on Manual Back 1.2 NC R1 □ 15" (166B35) □ 16" (166B36) □ 17" (166B37) □ 18" (166B38) R2 □ 17" (166B37) □ 18" (166B38) □ 19" (166B39) □ 20" (166B40) Back Height for use on Power Recline Back 1.2 NC Right	
Back Height for use on Manual Back 1,2 NC R1 15" (166B35) 16" (166B36) 17" (166B37) 18" (166B38) R2 17" (166B37) 18" (166B38) 19" (166B39) 20" (166B40) Back Height for use on Power Recline Back 1,2 NC Right	R2) (166PE5)
R1 □ 15" (166B35) □ 16" (166B36) □ 17" (166B37) □ 18" (166B38) R2 □ 17" (166B37) □ 18" (166B38) □ 19" (166B39) □ 20" (166B40) Back Height for use on Power Recline Back 1,2 NC Right	
Back Height for use on Power Recline Back ^{1,2} NC Right	5" (166B35) 🗆 16" (166B36) 🗆 17" (166B37) 🗆 18" (166B38) 🗆 🗆 1
	9" (166B39)

FOOTNOTES:

- There is a minimum gap of between the seat pan and the bottom of the back to allow for recline. It is between .5" and 3.5" on the manual back and 2.5" to 4" on the power recline with shear reduction.
- The back height is achieved by moving the back up in 1" increments.
- ³ Not available with Power Recline
- ⁴ Not available on Reclining Height Adjustable Armrest.
- To be used with Otto Bock Forearm Pads.
- Not available with Power Recline using Contour Adjustable Back
- No charge with Power Tilt, Power Elevate, or Power Recline
- ⁸ Cushions are ordered as a separate line item not included in wheelchair configuration.

	BACKS (Continued)			
Conto	ur Posterior Adjustable Back			
	166BU51 E2613 Contour Posterior Adjustable Back <22"	\$ 475.00		
	,	\$ 650.00		
	Back Width - Small - Adjustable 12"-13"	·		
	166PE1 12" (Only w/ Shortest Back Ht)	\$100.00		
	166PE2 13" (Only w/ Shortest Back Ht)	\$100.00		
	Back Width - Regular - 14"-19"	NC		
	14" (166PE3)			
	15" (166PE4)			
	16" (166PE5)			
_	Back Width - Large - 17" - 24"	NC		
	17" (166PE6) □ 20" (166PE9) □ 23" (166PE12)			
	19" (166PE8)			
	Back Height (Measured from Top of Seat Pan to Top of Back) 1	NC		
	16" ⁶ (166B36)			
	17" ⁶ (166B37)			
	18" (166B38)			
	19" (166B39)			
	20" (166B40) 25" (166B45) ARMRESTS (pr)			
Armro	st (NC on Perfect Fit Power CG Tilt or Power Recline)			
Armire	Non-Reclining Height Adjustable			
		¢250.00		
	166AA70 E0973 PF Flip Back Ht Adj.(7"-14") ³ Reclining Height Adjustable	\$250.00		
		\$250.00		
	166AA71 E0973 Std Height (10.8" - 14") 166AA72 E0973 Tall Height (12.8" - 16")	\$250.00		
	166AA14 Omit Armrests	9250.00 NC		
	166SG17 Removable Sideguards	\$120.00		
	Armpad	ψ.20.00		
	166AB01 Desk Length Waterfall (10") 4	NC		
		NC		
□	166AB03 Desk Length Standard (10") ⁴	\$7.50		
	166AE05 Reclining Arm Pad (16")	NC		
Left A	rmpad			
	166AE01 Desk Length Waterfall (10") 4	NC		
	166AE02 Full Length Waterfall (14") 4	NC		
	166AE03 Desk Length Standard (10") 4	\$7.50		
	166AE04 Full Length Standard (14") ⁴	\$7.50		
	166AE05 Reclining Arm Pad (16")	NC		
Right	Otto Bock Armpad Options			
	166AB08 K0106 Otto Bock Sm forearms pads (8")	\$120.00		
	166AB06 K0106 Otto Bock Med forearms pads (11.5")	\$120.00		
	166AB07 K0106 Otto Bock Lg forearms pads (14")	\$120.00		
Left O	tto Bock Armpad Options			
Left O	166AE08 K0106 Otto Bock Sm forearms pads (8")	\$120.00		
Left O	166AE08 K0106 Otto Bock Sm forearms pads (8") 166AE06 K0106 Otto Bock Med forearms pads (11.5")	\$120.00		
Left O	166AE08 K0106 Otto Bock Sm forearms pads (8") 166AE06 K0106 Otto Bock Med forearms pads (11.5") 166AE07 K0106 Otto Bock Lg forearms pads (14")			
Left O	166AE08 K0106 Otto Bock Sm forearms pads (8") 166AE06 K0106 Otto Bock Med forearms pads (11.5") 166AE07 K0106 Otto Bock Lg forearms pads (14") Otto Bock Hand Pads 5	\$120.00 \$120.00		
Left O	166AE08 K0106 Otto Bock Sm forearms pads (8") 166AE06 K0106 Otto Bock Med forearms pads (11.5") 166AE07 K0106 Otto Bock Lg forearms pads (14") Otto Bock Hand Pads 5 166OR01 Medium Flat Hand Pads (4-1/2" x 7")	\$120.00 \$120.00 \$52.50		
Left O	166AE08 K0106 Otto Bock Sm forearms pads (8") 166AE06 K0106 Otto Bock Med forearms pads (11.5") 166AE07 K0106 Otto Bock Lg forearms pads (14") Otto Bock Hand Pads 5 166OR01 Medium Flat Hand Pads (4-1/2" x 7") 166OR02 Large Flat Hand Pads (5-1/2" x 9")	\$120.00 \$120.00		
Left O	166AE08 K0106 Otto Bock Sm forearms pads (8") 166AE06 K0106 Otto Bock Med forearms pads (11.5") 166AE07 K0106 Otto Bock Lg forearms pads (14") Otto Bock Hand Pads 5 166OR01 Medium Flat Hand Pads (4-1/2" x 7") 166OR02 Large Flat Hand Pads (5-1/2" x 9")	\$120.00 \$120.00 \$52.50		

*K0108 Adjustable Skin Protection and K0108 Adjustable Skin Protection * Positioning

SEATING - Perfect Fit[™] (Continued) & ACCESSORIES

		SEATING - Peries	(,
		FOOTRESTS	
Not all comb	oination of H	angers and Footplates are available.	
Please obta	in a quote to	verify availability.	
Hanger			
□ ₁₆₆ ⊢	195	65° Swing Away (A,B,C) (pr)	NC
□ <u>166</u> ⊢	194	75° Tapered Swing Away (E) (pr)	NC
□ 166⊦	16	90° Swing Away (B,C) (pr)	\$250.00
□ <u>166</u> H		Fixed Center Mount (Inc. Footplate)	\$250.00
[□] 166⊦	l68 E0990	Manual ELR SA (EA) (A,B,D) ^{8,12} (pr)	\$270.00
□ 166H		Omit Hangers	-\$20.00
Extension [*]	Tube ¹⁰		
□ _{166E}	:1	Short (13" - 15")	NC
□ _{166E}	2	Medium (15" - 18") 4,8	NC
□ 166E	5	Long (18" - 20")	NC
□ _{166E}	16	High Mount Extension Tube ⁵	\$55.00
Foot Plate	(pr)		
□ ₁₆₆ F	⁻¹ A	Composite w/Heel Loop	NC
□ 166F	3	Adult Angle Adjust. w/Heel Loop (pr)	\$210.00
	В	K0040 Angle Adjustable Footplate	\$165.00
		E0951 Heel Loop	\$45.00
□ 166F	4	Kids Angle Adjust. w/Leg Strap (pr)	\$195.00
	С	K0040 Angle Adjustable Footplate	\$165.00
		K0038 Leg Strap	\$30.00
□ 166F	⁵ D	Aluminum	\$30.00
	U		
□ 166F	260	One Piece Angle Adjust. footplate	\$210.00
	Е	K0040 Angle Adjustable Footplate	\$165.00
		E0951 Heel Loop	\$45.00
□ _{166F}	7	Omit Foot Plate ⁹	-\$15.00
Footrest Ad			******
□ ₁₆₆ A		Extra Leg Strap, Black	\$30.00
□ ₁₆₆ A		Toe Loop ¹	\$45.00
		POSITIONING OPTIONS	·
Headrest			
□ ₁₆₆ ⊢	IE16 Head i	rest 8" x 4.5"	\$450.00
	E0955	Curved Headrest 8" x 4.5"	\$225.00
		Removable Mount	\$225.00
□ ₁₆₆		rest 9" x 4.5"	\$450.00
		Curved Headrest 9" x 4.5"	\$225.00
		Removable Mount	\$225.00
Integrated '		teral Supports	V
□ 166Z		Fixed Mounting Hardware	NC
□ 166Z		Swing Away Mount (Pair)	\$220.00
	Lateral Pads		Ψ==0.00
□ 166K		Medium 5" x 5" (PR)	\$220.00
□ 166K		Large 6" x 6" (PR)	\$220.00
		way Thoracic Laterals (Pair)	Ψ220.00
		Wrap-Around S/A Mount	¢250.00
166Z		•	\$250.00
1002		Wrap Around S/A 2" Offset	\$260.00
1002		Wrap-Around S/A 3" Offset	\$260.00
vviau-Arou	nd Lateral F		#
-		Small 4" x 4" (PR)	\$200.00
166K		Medium 5" x 5" (PR)	\$200.00
166k			ፈንስስ ስር
166k	D10 E0956	Large 6" x 6" (PR)	φ200.00
166k 166k 166k Lateral Swi	D10 E0956 ng-Away Kı	nee Adductors ^{2,3}	
166k 166k 166k Lateral Swi	D10 E0956 ng-Away Ki T01 E1028	nee Adductors ^{2,3} Swing Away Mount 2" Offset (PR)	\$240.00
166k 166k 166k Lateral Swi	D10 E0956 ng-Away Ki T01 E1028 T02 E1028	nee Adductors ^{2,3}	\$240.00
166k 166k 166k 166k Lateral Swi 166k 166k 166k	D10 E0956 ng-Away Ki T01 E1028 T02 E1028 ctor Pads	nee Adductors ^{2,3} Swing Away Mount 2" Offset (PR) Swing Away Mount 4" Offset (PR)	\$240.00 \$240.00
166k 166k 166k Lateral Swi	D10 E0956 ng-Away Ki (T01 E1028 (T02 E1028 ctor Pads (S01	nee Adductors ^{2,3} Swing Away Mount 2" Offset (PR)	\$200.00 \$240.00 \$240.00 \$200.00 \$200.00

			ACCESSORIES	
Backp	ack			
	166A1		Black Utility	\$55.00
	166A2		Black/Charcoal Kids	\$50.00
Positi	oning Belt	(Seat I	Frames Only)	
	166A155	E0978	Auto Style Buckle	\$50.00
	166A12	E0978	Belt 2" Aircraft Buckle	\$85.00
	166A13	E0978	Belt 2" Aircraft Buckle Padded	\$115.00
Wheel	Wheelchair Tray Table ⁶ (Size based on seat width chosen)			
	166A29	E0950	Tuffak	\$225.00
Option	ns			
	166A454		Hand Held Programmer Pad	\$625.00
			Toggle Switch Activation for QC5 11	NC

FOOTNOTES:

- ¹ Only available with adult angle adjustable footplates.
- ² Not available with 12, 13 or 14 wide seats.
- ³ Only available with Fixed Center Mount Footrest.
- $^{\rm 4}$ $\,$ Not available with aluminum footplate.
- 5 $\,$ Only available with 70 $^{\circ}$ hangers.
- ⁶ Requires Standard Armpads. Not available with the Reclining Height Adjustable Armrest.
- $^{7}\,\,$ Omit Footplate option not available with tapered Footrest
- ⁸ Medium Extension not available with Manual Elevating SA
- ⁹ Can not Omit Footplate on Tapered Legrest
- 10 Not available with 90° hangers.
- ¹¹ Accessory Toggle Switch only available with 1 or 2 Thru Drive Connection
- 12 Manual ELR Retracted Angle will between 65 $^{\circ}$ 70 $^{\circ}$ depending on chair setup.